: 206/OH-58 SADDLE, OUTBOARD, LEFT SIDE

Qty:

6 Um:

Each

Date

Wednesday, 9/20/2006 3:23:39 PM

User:

Kim Johnston

**Process Sheet** 

**Drawing Name** 

**Part Number** 

Material

**Due Date** 

**Drawing Number** 

Project Number

**Drawing Revision** 

: D29321

: N/A

: N/A

: 9/27/2006

: D2932 REV B

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 28668

**Estimate Number** 

: 10831

P.O. Number

This Issue

Prsht Rev.

:NIA

: 9/20/2006

: NC

First Issue **Previous Run** 

: NA : 28260

Type

S.O. No. : WIA

: MACHINED PARTS

Written By Checked & Approved By

Comment

: Est: B 00.06.26

New DWG rev, (mpp 2069) EC

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

D6101003 1.0

7075-T7351 2X6.25X7.875



Comment: Qty.:

1.0000 Each(s)/Unit Total:

6.0000 Each(s)

7075-T7351 2X6.25X7.875 Issue material from stock:

7075-T7351 Cut Size 2.0 x 6.25 X 7.880 Grain Along Long 7.88 Length

Batch No: 13 2 5 3 4 7

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #1







Program part number and batch number.

1-Inspect part number and batch number are programmed correctly.

2-Machine Step No 1 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet

3-Machine Step No 2 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet 4-Machine Step No 3 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet

5-Deburr & TUMBLE

3.0

MILLING CONV.

. CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE Machine Keyway and inspect per attached dimension sheet

66.09.24

4.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

Dart Ae	rospace	Ltd							
W/O:			WC	ORK ORDER CHANGES					
DATE	STEP				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		<u>ž</u> e							
Part No	•	PAR #:	Fault Cate	gory: NO	CR: Yes 🛭	DQA	<b>=</b>	o Date:☆	100
	•				QA: N/	C Closed:	:	_ Date:	
NCR:			WORK ORDI	ER NON-CONFORMANC	E (NCR	)			
DATE	STEP	Description of NC	Corrective Action Section B			Verification		Approval	Approval
	J.L.	Section A	Initial Chief Eng	Action Description  Chief Eng	Sign & Date	Section	n C	Chief Eng	QC Inspector

NOTE: Date & initial all entries

Wednesday, 9/20/2006 3:23:39 PM Date: Kim Johnston User: **Process Sheet** Drawing Name: 206/OH-58 SADDLE, OUTBOARD, LEFT SIDE Customer: CU-DAR001 Dart Helicopters Services Part Number: D29321 Job Number: 28668 Job Number: Description: Seq. #: Machine Or Operation: SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING RESOURCE #1 6.0 HAND FINISHING1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 Comment: INSPECT POWDER COAT PACKAGING RESOURCE # PACKAGING 1 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE 10.0 QC21 Comment: FINAL IN SPECTION/W/O RELEASE Job Completion U dolon2

## **Dart Aerospace Ltd**

<b>D</b> uit / (0	· oopao.	<i>-</i>								
W/O:			WO	RK ORDER CHA	NGES					
DATE	STEP	PRO	OCEDURE CHAI	NGE		Ву	Date	Qty	Approval 3 Chief Eng / Prod Mgr	Approval QC Inspector
					·					
			•				•			
4										
Part No	:	PAR #:	Fault Categ	jory:	NC	R: Yes I	No DQ	A:	Date:	
						QA: N/	C Close	d:	Date:	<del> </del>
NCR:			WORK ORDE	R NON-CONFOR	RMANCE	(NCR	)			
DATE	STEP	Description of NC	Corrective Action Section B			Verification		cation	Approval	Approval
DATE	SIEF	Section A	Initial Chief Eng	Action Description	on 	Sign & Date	Section C		Chief Eng	QC Inspector
		*								
			·							
										,
				4; >						
						t				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	28668
Description: 206 Saddle, Outboard, Left side	Part Number:	D2932-1
Inspection Dwg: D2932 Rev. B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. B and record below:

· · ·				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		.122	-124	. 127	, 127		
В	0.100	0.140		-/23	-124	.124	,124		
С	0.100	0.140		122	-/23	122	.124		
D	0.210	0.230		,220	220	226	.210		
Е	1.245	1.255		1.250	1,236	1,250	1-255		<u></u>
F	1.245	1.255		1.250	1.250	1-250	1.250		
G	2.495	2.505		2.500	2000	J-\$00)	2.500		
Н	0.510	0.515		.5/4	-514	-514	.514		
l	1.572	1.582		1.577	1574	1.577	1.577		
J	2.495	2.505	<u> </u>	2-499	2/198	2,499	2.458		
K	0.257	0.262	- <del>DT86</del> 83	,258	,258	·258	-258		
L	0.312	0.317	DT8686_	-313	,314	,314	·314		
M	0.235	0.240		.237	237	.237	237		
N	0.100	0.140		./20	120	./20	.120		
0	0.540	0.560		.575	.546	1547	-848		
P	0.490	0.510		.499	- 493	794	.497		
Q	3.715	3.725,		3.720	3,720	3,728	3.720		
R	2.470	2.510		2,491	2.48/	2.491	2,491		
S	0.240	0.270		,246	.247	.247	246		
Т	0.100	0.180		140	-140	.140	- 140		
U	1.625	1.635		1.630	1,630	1630	1,630		
V	1.362	1.372		1.367	1367	1.367	1367		
W	0.316	0.321	<b>D₹6600</b> -	-319	.319	215	316		
X	1.125	1.145	,	1-135	1./33	1.134	1.133		
Y	1.565	1.585		1.571	1.570	1.571	1.571		
Z						1			
AA									· .
AB									
AC						\$10			
AD						•.	• 1		
AE									
AF						·			
AG							,5 °		
AH		4.					3		
	Acc	ept/Reje	ct	,		3.77			

Measured by:	Audited by	me.
Date: 06,09,23	Date:	06/09/26

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	#

DART AEROSPACE LTD	Work Order:	28668
Description: 206 Saddle, Outboard, Left side	Part Number:	D2932-1
Inspection Dwg: D2932 Rev. B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. B and record below:

•				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		124	./23		-		
В	0.100	0.140		.125	./22				
С	0.100	0.140		124	-/22`				
D	0.210	0.230		-2/9	-220				
E	1.245	1.255		1.250	1.250				
F	1.245	1.255		1-250	1.200				
G	2.495	2.505		2.500	2-500				
Н	0.510	0.515		.514	514				
1	1.572	1.582		1.577	1.577				
J	2.495	2.505		2/498	2.428				
K	0.257	0.262	<b>₽</b> 19683√	-258	·238				
L	0.312	0.317	<del>-D∓8080</del> -	-3/4	~ ~7 /				
М	0.235	0.240		237	237				
N	0.100	0.140		•(15	,/20				
0	0.540	0.560		.546	549				
P	0.490	0.510		.498	498				
Q	3.715	3.725		3, 720	3,720				
R	2.470	2.510	· .	2.47/	2.451				
S	0.240	0.270		.247	247				
T	0.100	0.180		-140	-140				
Ū	1.625	1.635		1630	1630				·
V	1.362	1.372		1.367	1.387				
W	0.316	0.321	DT8090	.319	-3/5				
Χ	1.125	1.145		1.134	1134				
Υ	1.565	1.585		1.572	1.572				
Z									
AA									
AB									
AC									
AD									
AE								,	
AF									
AG									
AH		· .							
	Acc	ept/Reje	ct						

Measured by:	$\Delta z$	Audited by	and
Date:	0609.24	Date:	06/09/26

Re	ev	Date	Change	Revised by	Approved
1	4		New Issue	RF	
E	3	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	#

